



PRODUCT: GRO-LAC® WATERBORNE GLOSS CLEAR

CODE: 152-9001

TYPE: ACRYLIC COPOLYMER EMULSION

PRODUCT DESCRIPTION: GRO-LAC® Waterborne Gloss Clear is an acrylic copolymer emulsion that is specially formulated to meet the requirements of replacing high VOC solvent coatings.

USES: GRO-LAC® Waterborne Gloss Clear may be used as a clear coat for wood, metal, masonry and certain ceramics.

SURFACE PREPARATION: Surface must be clean and free of oil, wax, grease, dirt and sanding dust. Sand any previously coated surface before application. Remove all dust with a dust cloth.

APPLICATION AND CLEAN UP: For best results, use an airless or conventional spray gun. Do not thin. If thinning is needed, use one-half to one pint of clean water per gallon of GRO-LAC® Clear. A nylon brush may also be used for small areas. Clean all tools immediately after use with clean, warm water. If material is dried on tools, soapy water will help in removal.

PRODUCT DATA

GROCO SPECIALTY COATINGS
10818 Hawn Freeway / Dallas, Texas 75217
972-286-7890 FAX 972-286-8890

www.grocosc.com



GRO-LAC® WATERBORNE GLOSS CLEAR

SPECIFICATIONS: 152-9001

Solids by Weight	31.87 +/- 2.0%	
Solids by Volume	29.76 +/- 2.0%	
Theoretical Coverage (sq. ft./gal. @ 1 mil dry film)	477	
Viscosity (Krebs units @ 77 degrees F).....	59-68 K.U.	
Dry Time (@ 77 degrees F)	Touch	35-40 min.
	Re-Coat	2-4 hrs.
Gloss (@ 60 degrees F)	High	

AVAILABILITY:

Colors: Clear

PRECAUTIONS: Protect from freezing. Keep out of the reach of children.

FOR FURTHER INFORMATION SEE MSDS SHEET.

PRODUCT DATA

GROCO SPECIALTY COATINGS
10818 Hawn Freeway / Dallas, Texas 75217
972-286-7890 FAX 972-286-8890

www.grocosc.com